Hardware-software complex for sports orientation, selection and stage control: potential for judo and sambo

UDC 612.6:796.8



Dr.Biol., Professor **Y.V. Koryagina**¹ PhD **S.V. Nopin**¹ PhD **G.N. Ter-Akopov**¹ **S.M. Abutalimova**¹ ¹North Caucasian Federal Research and Clinical Center of the Federal Medical and Biological Agency of Russia, Essentuki

Corresponding author: fizkult@teoriya.ru

Abstract

Objective of the study was to develop and implement an information system – hardware-software complex for sports orientation, selection and stage control in judo and sambo.

Methods and structure of the study. The following methods were applied during the study: information technology based methods; spirometry; anthropometry, dynamometry, psychophysiological test methods; sports educational methods; non-parametric mathematical statistics methods. 240 children and junior athletes took part in testing the developed hardware-software complex.

Results and conclusion. Using the data from the theoretical analysis and author's research [3], an information testing system - hardware-software complex for sports orientation, selection and control in judo and sambo was developed. The hardware-software complex consists of the hardware facilities and software. The developed hardware-software complex includes four test blocks: morphological, functional, psychophysiological and physical fitness.

The hardware-software complex for sports orientation includes four test blocks to determine the morphological, functional, psychophysiological, and physical fitness rates. The testing of thhardware-software complex for sports orientation, selection and stage control in judo and sambo showed its effectiveness in determining the psycho-functional readiness of children for judo and sports orientation, selection and control in judo and sambo.

Keywords: sports orientation, selection, stage control, functional diagnostics, fitness tests, psychophysiological testing, working capacity, judo, sambo.

Background. According to the physiological classification, judo and sambo are related to martial arts which require athletes to solve complex motor tasks in a compressed time frame. At the same time, these are speed-strength and complex coordination sports that place high demands on such qualities of flexibility and dexterity. Currently, a large number of scientific studies have been carried out, mainly by foreign scientists, devoted to the most significant performance factors [2, 5, 6]. Factors or predictors of athletic performance are the most significant characteristics of the psychophysiological state of the body systems or motor skills, the determination of which can be used to address the problems of sports orientation, selection and control of the body condition of athletes in judo and sambo.

Objective of the study was to develop and implement an information system – hardware-software

complex for sports orientation, selection and stage control in judo and sambo.

Methods and structure of the study. The following methods were applied during the study: information technology based methods; spirometry; anthropometry, dynamometry, psychophysiological test methods; sports educational methods; non-parametric mathematical statistics methods. 240 children and junior athletes took part in testing the developed hardware-software complex.

Results and discussion. Using the data from the theoretical analysis and author's research [3], an information testing system - hardware-software complex for sports orientation, selection and control in judo and sambo [4] was developed. The hardware-software complex consists of the hardware facilities and software. The developed hardware-software complex

includes four test blocks: morphological, functional, psychophysiological and physical fitness. Figure 1 illustrates the main window of the software part of the hardware-software complex.



Fig. 1. Main window of the hardware-software complex for sports orientation, selection and control in judo and sambo.

The psychophysiological test block includes the Schulte test, simple visual and auditory sensorimotor reaction time test, complex sensorimotor reaction time test - choice reaction time and determination of the type of temperament and properties of the nervous system by a person-time unit. The morphofunctional test block includes measurement of body length, body mass, arm length, leg length, chest circumference, wrist circumference, vital capacity (VC), wrist dynamometry, deadlift dynamometry, duration of static tension of 50% of maximum using the wrist dynamometer.

Figure 2 illustrates the window of the hardwaresoftware complex for sports orientation, selection and control in judo and sambo including the morphofunctional test block.

A Morphofunctional File Datings	i status: mode fo	r children aged 6 and older (stage control)		- 0	×
Weight, kg Height (98.0 (162.0	cm Length [73.0	em Arms (54.0				
Chest Groumference, or al rest 84.0	maximal ing [70.0	iration maximal expirat	ion 14	tel cumference, cm		
Spirometry, ml VC (010	Dynamometr Right hand, I	y Ig Left hand, kg Deadlift, i 13.2 36.0	kg 50%, timed, s j25	-		
San	e data		Exit	Impor	t data	

Fig. 2. Window of the hardware-software complex for sports orientation, selection and control in judo and sambo including morphofunctional test block.

The physical fitness test block includes a modified Boyko test to determine physical working capacity level [1], beep test, as well as tests to rate dexterity (3 10m shuttle run), flexibility (standing bends forward), speed-strength abilities (standing long jump), strength endurance (push-ups). Figure 3 illustrates the window of the hardware-software complex for sports orientation, selection and control in judo and sambo including the physical fitness test block.

The test rates were used to develop a special scale for evaluating the results of 5-6 year-old children involved in physical education with the elements of judo and young athletes (9-10, 11-12 and 13-14 years old) practicing judo and sambo. The hardware-software complex was tested as part of the pilot project of the Russian Judo Federation "Children's Judo", Sochi, in the Municipal Budgetary Institution "Sports School of the Olympic Reserve in Martial Arts Discipline" in Essentuki, sports complex "Gymsportpremium" in Pyatigorsk, Municipal Budgetary Institution for Supplementary Education "Children's and Youth Sports School No. 1" in Kislovodsk, Municipal Public Institution "Fitness and recreation complex "Pobeda" of the Zolsky municipal district of the KBR. The psychophysiological, morphological, physical fitness, and working capacity rates were obtained, which made it possible to study and analyze the age-specific differences in children and adolescents engaged in judo and sambo.

Physical fitness: mode for o	children aged 6 and	older (stage control)	_ ICI >	
File Push-ups reps jo Speed-strength abilities Standing long jump, om [122		Coordination skills 3x10m shutle run, sec 0.20		
		Flexibility Standing bends forward, on (9.0		
Special working capacity				
Set 1, number of exercises	Set 1, HR	Set 2, number of exercises	Set 2. HR 117	
Special working capacity				
Set 3, number of exercises	Set 3, HR			
Pre-load				
SBP, mmHg (125	DBP, mmHg	HR, bpm		
Recovery after 1 min of n	est			
SBP, mmHg	DBP, mmHg	HR, bpm		
Recovery after 5 min of n	est			
SBP, mmHg	DBP, mmHg	HR, bpm		
Save data		* Exit	Import data	
the second s				

Fig. 3. Window of the hardware-software complex for sports orientation, selection and control in judo and sambo including physical fitness test block.

The greatest differences in the physical development rates were detected in terms of body length, body mass, and leg length (see Table). Among the functional indicators, it was VC, wrist and deadlift dynamometry rates that underwent the greatest agespecific changes. The psychophysiological indicators improved to a greater extent in the preschoolers under 7 years old. At the same time, the complex sensorimo-





Morphofunctional, psychophysiological and physical fitness rates in 5-14 year-old boys practicing judo

worphorunctional, psychoph	ysiological and physical inness i		ales in 5-14 year-old boys practicing judo		
Indicators	5-6 y.o.	7-8 y.o.	9-10 y.o.	11-12 у.о.	13-14 у.о.
	1	2	3	4	5
	120,6±5,0	129,3±8,0	140,1±7,2	150,3±8,0	162,3±8,3
Body length, cm	P1-2,3,4,5	P2-3,4,5	P3-4,5	P4-5	
	<0,001	<0,001	<0,001	<0,001	
	24,0±5,2	29,0±10,1	37,1±9,3	43,5±9,2	53,3±17,6
Body mass, kg	P1-2,3,4,5	P2-3,4,5	P3-4,5	P4-5	
	<0,001	<0,001	<0,001	<0,001	
	64,3±3,2	71,3±6,5	78,5±5,4	84,8±5,4	91,6±5,5
Leg length, cm	P1-2,3,4,5	P2-5			
	<0,001	<0,05			
	50,3±2,7	55,9±5,0	60,9±3,4	65,8±4,2	71,5±4,3
Arm length, cm	P1-2,3,4,5	P2-5	P3-5		
	<0,001	<0,05	<0,05		
	12,7±0,9	13,2±1,1	14,2±1,1	15,3±1,1	16,0±1,3
Wrist circumference, cm	P1-3.4.5				
	< 0.05				
Body-mass index, %	94,0±11,9	84,6±15,2	82,6±13,9	81,2±12,5	86,2±23,5
	1462,2±	1721,9±	2179,7±	2632,3±	3276,1±
VC, ml	209,5	339,8	397,9	482,3	746,3
	P1-3,4,5	P2-3,4,5	P3-4,5	,	,
	<0.05	< 0.05	< 0.05		
Deadlift dynamometry, kg	27,5±8,1	39,2±12,0	51,5±14,3	58,8±15,0	75,3±20,7
	P1-5<0,05				
	9,1±3,0	14,4±8,7	16,3±4,4	19,0±4,6	24,5±4,6
Right hand dynamometry, kg	P1-5				
	<0,05				
	8,8±3,0	13,1±7,4	15,5±4,5	18,5±4,7	24,1±4,8
Left hand dynamometry, kg	P1-5	, ,			
, , , ,	<0.05				
	0,41±0,02	0,35±0,01	0,33±0,06	0,31±0,08	0,30±0,07
Light response time, sec	P1-2,3,4,5				
	<0,05				
	0,64±0,02	0,53±0,02	0,50±0,01	0,42±0,07	0,38±0,08
Choice reaction time, sec	P1-2.3.4.5	P2-4.5			, ,
	<0.05	< 0.001			
	181±21	90±28	78±22	54±15	45±9
Efficiency (Schulte test), sec	P1-2.3.4.5	P2-4.5	P3-5		
	< 0.001	< 0.001	< 0.001		
	22,6±11.6	24.4±10.8	25.0±10.2	27.5±9.8	36.2±9.9
Strength endurance (push-ups).	P1-2.3.4.5	,,-	.,,_	,,-	
reps	< 0.05				
Speed-strength abilities	122,1±15.0	136,3±10.9	150,8±10.2	167,0±16.5	197,0±18.0
(standing long jump), cm	P1-2,3,4,5	P2-3,4,5	P3-4,5	, -,-	, -,-
	<0.05	<0.05	<0.05		
		· · · · · · · · · · · · · · · · · · ·			

tor reaction time, choice reaction time, and the effectiveness of mental work continued to improve up to 14 years. The dynamics of changes in the physical fitness rates in the boys and girls were very different. In the boys, there was an annual improvement in strength endurance and speed-strength abilities, special working capacity and a more significant increase in the functional indicators of the cardiovascular system during the stress tests. In the girls, there was an increase only in the speed-strength rates, as well as an increase in the reactions of the cardiovascular system to loading.

Conclusion. The hardware-software complex for sports orientation includes four test blocks to determine the morphological, functional, psychophysi-

ological, and physical fitness rates. The testing of the hardware-software complex for sports orientation, selection and stage control in judo and sambo showed its effectiveness in determining the psycho-functional fitness of children for judo and sports orientation, selection and control in judo and sambo.

The study was performed at the Federal State Budgetary Institution North Caucasian Federal Research and Clinical Center of the Federal Medical and Biological Agency of Russia under the State Contract for the performance of research work No. 129.001.20.14 of July 21, 2020, code: "Judo 20".

References

- Boyko V.F., Danko G.V. Physical training of wrestlers. Study guide. Kiev: Olimpiyskaya literatura, USUPES publ.,2004. 223 p.
- Issurin V.B. Sports talent: forecast and implementation. Transl. From Engl. I.V. Sharobayko. M.: Sport publ., 2017. 240 p.

- Nopin S.V., Koryagina Yu.V., Ter-Akopov G.N. HSC Sports orientation of children to judo classes. Certificate of registration of the computer program 2020662507, 10/14/2020. Application No. 2020661852 dated 06.10.2020.
- Nopin S.V., Koryagina Y.V., Ter-Akopov G.N. HSC Sports orientation, selection and control in judo and sambo. Certificate of registration of the computer program 2021619474, 06/10/2021. Application No. 2021618723 dated 09.06.2021.
- Pogrebnoy A.I., Komlev I.O. Modern world trends in sports training of judokas (foreign literature review). Fizicheskaya kultura, sport-nauka i praktika. 2018. No. 3. pp. 107–113.
- 6. Kuvačić G., Krstulović S., Đapić P. Factors Determining Success in Youth Judokas. Journal of Human Kinetics. 2017. Vol. 56. pp. 207-217.